Author index

Akera, T., see Hagane, K. (982) 279
Akerboom, T.P.M., see Kunst, M. (982) 15
Allen, R.A., see Cupo, J.F. (982) 31
Anghileri, L.J., Maincent, P. and Robert, J.
Enhancement of colloid uptake by tumor cell surface electrical charge modification (982) 307
Antunes-Madeira, M.C. and Madeira, V.M.C.
Membrane fluidity as affected by the insecticide lindane (982) 161
Attias de Murciano, A., see Ramos, H. (982) 303

Bakker-Grunwald, T., see Keller, F. (982) 89
Bhakuni, V. and Gupta, C.M.
Carbamyl phosphatidylcholine – cholesterol interactions in unilamellar vesicles (982) 216
Bienvenüe, A., see Sainte-Marie, J. (982) 265
Bokoch, G.M., see Cupo, J.F. (982) 31
Bolard, J., see Henry-Toulmé, N. (982) 245
Bolard, J., see Ramos, H. (982) 303
Bradrick, T.D., Freire, E. and Georghiou, S.
A high-sensitivity differential scanning calorimetric study of the interaction of melittin with dipalmitoylphosphatidylcholine fused unilamellar vesicles (982) 94
Brandsch, M., see Ermisch, A. (982) 79
Bresler, V.M., Valter, S.N., Jerebtsova, M.A., Isayev-Ivanov, V.V., Kazbekov, E.N., Kleiner, A.R., Orlov, Y.N., Ostapenko, I.A., Suchodolova, A.T. and Fomichev, V.N.
The influence of the lipid bilayer phase state on the *p*-aminohippurate (PAH) transport and the activity of the alkaline phosphatase in brush-border membrane vesicles from normal and mutant rats (982) 288
Bridal, T., see Roeske, R.W. (982) 223
Brust, P., see Ermisch, A. (982) 79
Burke, T.G., Israel, M., Seshadri, R. and Doroshow, J.H.
A fluorescence study examining how 14-valerate side chain substitution modulates anthracycline binding to small unilamellar phospholipid vesicles (982) 123
Burns, K., see Fliegel, L. (982) 1
Busath, D., see Roeske, R.W. (982) 223

Carrasquer, G., Wu, X., Kissel, D., Rehm, W.S., Schwartz, M. and Dinno, M.A.
Microelectrode studies of amphotericin B on Na^+ and K^+ conductance in bullfrog cornea (982) 73
Casal, H.L., Mantsch, H.H. and Hauser, H.
Infrared and ^{31}P-NMR studies of the interaction of Mg^{2+} with phosphatidylserines: effect of hydrocarbon chain unsaturation (982) 228
Chang, C.C.Y., see Shi, S.P. (982) 187
Chang, T.Y., see Shi, S.P. (982) 187
Cheng, N., see De Loecker, W. (982) 9
Cohen, B.E., see Ramos, H. (982) 303
Crowe, J.H., see McKersie, B.D. (982) 156
Crowe, L.M., see McKersie, B.D. (982) 156
Cupo, J.F., Allen, R.A., Jesaitis, A.J. and Bokoch, G.M.
Reconstitution and characterization of the human neutrophil *N*-formyl peptide receptor and GTP binding proteins in phospholipid vesicles (982) 31

De Loecker, W., Delport, P.H. and Cheng, N.
Effects of pulsed electromagnetic fields on rat skin metabolism (982) 9
Delport, P.H., see De Loecker, W. (982) 9
De Pont, J.J.H.H.M., see Schuurmans Stekhoven, F.M.A.H. (982) 103
Deuticke, B., Henseleit, U., Haest, C.W.M., Heller, K.B. and Dubbelman, T.M.A.R.
Enhancement of transbilayer mobility of a membrane lipid probe accompanies formation of membrane leaks during photodynamic treatment of erythrocytes (982) 53
Dinno, M.A., see Carrasquer, G. (982) 73
Doroshow, J.H., see Burke, T.G. (982) 123
Dubbelman, T.M.A.R., see Deuticke, B. (982) 53

Edgar, A., see Koffer, A. (982) 295
Eklund, K.K., see Salonen, I.S. (982) 205
Ermisch, A., Brust, P. and Brandsch, M.
β-Casomorphins alter the intestinal accumulation of L-leucine (982) 79

Fisher, K.A. and Yanagimoto, K.C.
Transmembrane signaling: tumor promoter distribution (982) 237
Fliegel, L., Burns, K., Opas, M. and Michalak, M.
The high-affinity calcium binding protein of sarcoplasmic reticulum. Tissue distribution, and homology with calregulin (982) 1
Fomichev, V.N., see Bresler, V.M. (982) 288
Freire, E., see Bradrick, T.D. (982) 94
Fung, L.W.-M., Narasimhan, C., Lu, H.-Z. and Westerman, M.P.
Reduced water exchange in sickle cell anemia red cells: a membrane abnormality (982) 167

Galla, H.-J., see Tampé, R. (982) 41
Georghiou, S., see Bradrick, T.D. (982) 94
Gliozzi, A., see Robello, M. (982) 173
Görlich, J.-K., see Lenzen, S. (982) 140
Gould, G.W., see Shi, S.P. (982) 187
Gupta, C.M., see Bhakuni, V. (982) 216

Haest, C.W.M., see Deuticke, B. (982) 53
Hagane, K., Akera, T. and Stemmer, P.
Effects of Ca^{2+} on the sodium pump observed in cardiac myocytes isolated from guinea pigs (982) 279
Hägerstrand, H. and Isomaa, B.
Vesiculation induced by amphiphiles in erythrocytes (982) 179
Hanke, W., see Keller, F. (982) 89
Hauser, H., see Casal, H.L. (982) 228
Heller, K.B., see Deuticke, B. (982) 53
Helmkamp, Jr., G.M., see Thomas, P.J. (982) 24
Henry-Toulmé, N., Seman, M. and Bolard, J.
Interaction of amphotericin B and its N-fructosyl derivative with murine thymocytes: a comparative study using fluorescent membrane probes (982) 245
Henseleit, U., see Deuticke, B. (982) 53
Hrinyo-Pavlina, T.P., see Roeske, R.W. (982) 223

Isayev-Ivanov, V.V., see Bresler, V.M. (982) 288
Isomaa, B., see Hägerstrand, H. (982) 179
Israel, M., see Burke, T.G. (982) 123

Jerebtsova, M.A., see Bresler, V.M. (982) 288
Jesaitis, A.J., see Cupo, J.F. (982) 31
Jin, X.-Z., see Roeske, R.W. (982) 223
Jonas, J., see Winter, R. (982) 85

Kazbekov, E.N., see Bresler, V.M. (982) 288
Keller, F., Hanke, W., Trissl, D. and Bakker-Grunwald, T.
Pore-forming protein from *Entamoeba histolytica* forms voltage- and pH-controlled multi-state channels with properties similar to those of the barrel-stave aggregates (982) 89
King, S.C. and Wilson, T.H.
Galactoside-dependent proton transport by mutants of the *Escherichia coli* lactose carrier: substitution of tyrosine for histidine-322 and of leucine for serine-306 (982) 253
Kinnunen, P.K.J., see Salonen, I.S. (982) 205
Kissel, D., see Carrasquer, G. (982) 73
Kleiner, A.R., see Bresler, V.M. (982) 288
Koffer, A. and Edgar, A.
Enhanced number of actin binding sites on plasma membranes of polyoma virus-transformed fibroblasts (982) 295
Korstanje, L.J., Van Faassen, E.E. and Levine, Y.K.
Reorientational dynamics in lipid vesicles and liposomes studied with ESR: effects of hydration, curvature and unsaturation (982) 196
Kunst, M., Sies, H. and Akerboom, T.P.M.
S-(4-Azidophenacyl)[^{35}S]glutathione photoaffinity labeling of rat liver plasma membrane-associated proteins (982) 15

Lavasa, M., see Padh, H. (982) 271
Lenzen, S., Görlich, J.-K. and Rustenbeck, I.
Regulation of transmembrane ion transport by reaction products of phospholipase A_2. I. Effects of lysophospholipids on mitochondrial Ca^{2+} transport (982) 140
Lenzen, S., see Rustenbeck, I. (982) 147
Leunissen, J., see Schuurmans Stekhoven, F.M.A.H. (982) 103
Levine, Y.K., see Korstanje, L.J. (982) 196
Lieberman, D.M., see Werner, P.K. (982) 309
Lu, H.-Z., see Fung, L.W.-M. (982) 167
Lundahl, P., see Wallstén, M. (982) 47

Madeira, V.M.C., see Antunes-Madeira, M.C. (982) 161
Maincent, P., see Anghileri, L.J. (982) 307
Mantsch, H.H., see Casal, H.L. (982) 228
McKersie, B.D., Crowe, J.H. and Crowe, L.M.
Free fatty acid effects on leakage, phase properties and fusion of fully hydrated model membranes (982) 156
Michalak, M., see Fliegel, L. (982) 1
Misler, S., see Tabcharani, J.A. (982) 62
Miura, S., see Yokono, S. (982) 300

Narasimhan, C., see Fung, L.W.-M. (982) 167

Ogli, K., see Yokono, S. (982) 300
Opas, M., see Fliegel, L. (982) 1
Orlov, Y.N., see Bresler, V.M. (982) 288
Ostapenko, I.A., see Bresler, V.M. (982) 288

Padh, H., Lavasa, M. and Steck, T.L.
Characterization of a vacuolar proton ATPase in *Dictyostelium discoideum* (982) 271
Philippot, J.R., see Sainte-Marie, J. (982) 265
Pottorf, R.S., see Roeske, R.W. (982) 223

Ramos, H., Attias de Murciano, A., Cohen, B.E. and Bolard, J.
The polyene antibiotic amphotericin B acts as a Ca^{2+} ionophore in sterol-containing liposomes (982) 303
Ravel, S., see Sainte-Marie, J. (982) 265
Rehm, W.S., see Carrasquer, G. (982) 73
Reithmeier, R.A.F., see Werner, P.K. (982) 309
Robello, M. and Gliozzi, A.
Conductance transition induced by an electric field in lipid bilayers (982) 173
Robert, J., see Anghileri, L.J. (982) 307
Robitzki, A., see Tampé, R. (982) 41
Roeske, R.W., Hrinyo-Pavlina, T.P., Pottorf, R.S., Bridal, T., Jin, X.-Z. and Busath, D.
Synthesis and channel properties of [Tau^{16}]gramicidin A (982) 223
Rustenbeck, I. and Lenzen, S.
Regulation of transmembrane ion transport by reaction products of phospholipase A_2. II. Effects of arachidonic acid and other fatty acids on mitochondrial Ca^{2+} transport (982) 147
Rustenbeck, I., see Lenzen, S. (982) 140

Sainte-Marie, J., Vidal, M., Sune, A., Ravel, S., Philippot, J.R. and Bienvenüe, A.
Modifications of LDL-receptor-mediated endocytosis rates in CEM lymphoblastic cells grown in lipoprotein-depleted fetal calf serum (982) 265
Salonen, I.S., Eklund, K.K., Virtanen, J.A. and Kinnunen, P.K.J.
Comparison of the effects of NaCl on the thermotropic behaviour of *sn*-1′ and *sn*-3′ stereoisomers of 1,2-dimyristoyl-*sn*-glycero-3-phosphatidylglycerol (982) 205
Schuurmans Stekhoven, F.M.A.H., Zou, Y.S., Swarts, H.G.P., Leunissen, J. and De Pont, J.J.H.H.M.
Ethylenediamine as active site probe for Na^+/K^+-ATPase (982) 103
Schwartz, M., see Carrasquer, G. (982) 73
Seman, M., see Henry-Toulmé, N. (982) 245
Seshadri, R., see Burke, T.G. (982) 123
Shantharam, P. and SrinivasaRao, P.
Activity of myelin membrane Na^+/K^+-ATPase and 5′-nucleotidase in relation to phospholipid acyl profiles, ganglioside composition and phosphoinositides in developing brains of undernourished rats (982) 115
Shi, S.P., Chang, C.C.Y., Gould, G.W. and Chang, T.Y.
Comparison of phosphatidylethanolamine and phosphatidylcholine vesicles produced by treating cholate-phospholipid micelles with cholestyramine (982) 187
Sies, H., see Kunst, M. (982) 15
SrinivasaRao, P., see Shantharam, P. (982) 115
Steck, T.L., see Padh, H. (982) 271
Stemmer, P., see Hagane, K. (982) 279
Storch, J., see Trotter, P.J. (982) 131
Suchodolova, A.T., see Bresler, V.M. (982) 288
Sune, A., see Sainte-Marie, J. (982) 265
Swarts, H.G.P., see Schuurmans Stekhoven, F.M.A.H. (982) 103

Tabcharani, J.A. and Misler, S.
Ca^{2+}-activated K^+ channel in rat pancreatic islet B cells: permeation, gating and blockade by cations (982) 62
Tampé, R., Robitzki, A. and Galla, H.-J.
Interaction between glycophorin and a spin-labeled cholesterol analogue in reconstituted dimyristoylphosphatidylcholine bilayer vesicles (982) 41
Thiyagarajan, P., see Winter, R. (982) 85
Thomas, P.J., Wendelburg, B.E., Venuti, S.E. and Helmkamp, Jr., G.M.
Mature rat testis contains a high molecular weight species of phosphatidylinositol transfer protein (982) 24
Trissl, D., see Keller, F. (982) 89
Trotter, P.J. and Storch, J.
3-[*p*-(6-Phenyl)-1,3,5-hexatrienyl]phenylpropionic acid (PA-DPH): characterization as a fluorescent membrane probe and binding to fatty acid binding proteins (982) 131

Ueda, I., see Yokono, S. (982) 300

Valter, S.N., see Bresler, V.M. (982) 288
Van Faassen, E.E., see Korstanje, L.J. (982) 196
Venuti, S.E., see Thomas, P.J. (982) 24
Vidal, M., see Sainte-Marie, J. (982) 265
Virtanen, J.A., see Salonen, I.S. (982) 205

Wallstén, M., Yang, Q. and Lundahl, P.
Entrapment of lipid vesicles and membrane protein-lipid vesicles in gel bead pores (982) 47
Wendelburg, B.E., see Thomas, P.J. (982) 24
Werner, P.K., Lieberman, D.M. and Reithmeier, R.A.F.
Accessibility of the *N*-ethylmaleimide-unreactive sulfhydryl of human erythrocyte Band 3 (982) 309
Westerman, M.P., see Fung, L.W.-M. (982) 167
Wilson, T.H., see King, S.C. (982) 253
Winter, R., Xie, C.-L., Jonas, J., Thiyagarajan, P. and Wong, P.T.T.
High-pressure small-angle neutron scattering (SANS) study of 1,2-dielaidoyl-*sn*-glycero-3-phosphocholine bilayers (982) 85
Wong, P.T.T., see Winter, R. (982) 85
Wu, X., see Carrasquer, G. (982) 73

Xie, C.-L., see Winter, R. (982) 85

Yanagimoto, K.C., see Fisher, K.A. (982) 237
Yang, Q., see Wallstén, M. (982) 47
Yokono, S., Ogli, K., Miura, S. and Ueda, I.
400 MHz two-dimensional nuclear Overhauser spectroscopy on anesthetic interaction with lipid bilayer (982) 300

Zou, Y.S., see Schuurmans Stekhoven, F.M.A.H. (982) 103